
DMEM High Glucose w/o L-Glutamine w/ 25mM Hepes w/o Sodium Pyruvate

Product code :
LM-D1107

Theoretical pH : 7.3 ±0.3

Osmolality : 280 mOsm/kg±10 %

Colour : Red solution

Storage conditions : +2°C to +8°C

Shelf life : 24 months

Endotoxin : <1 EU/ml

Sterility tests :

- Bacteria in aerobic and anaerobic conditions
- Fungi and yeasts

Cell growth test :

Medium tested for the ability to support cell growth with L929 line.

Composition :

Displayed on web site; also available on request

Recommended use :

- Respect storage conditions of the product
- Do not use the product after its expiry date
- Store product in an area protected from light (not necessary for saline solutions).
- Manipulate the product in aseptic conditions (e.g. : under laminar air flow)
- Wear clothes adapted to the manipulation of the product to avoid contamination (e.g. : gloves, mask, hygiene cap, overall...)

The product is intended to be used in vitro, in laboratory only. Do not use it in therapy, human or veterinary applications.

Description :

Lots of modifications of Eagle's medium have been developed since the creation of the first formulation. The most used Eagle's medium is the Dulbecco's Modified Eagle's Medium (DMEM).

It is a modification of Basal Medium Eagle (BME) that contains a concentration more important of amino acids and vitamins and also supplementary components. The original formulation contained 1000mg/l of glucose and was used to culture embryonic mouse cells. The used of 4500mg/l of glucose in the medium show an optimal cell growth for some cell lines.

Uses :

Supplements, such as antibiotics, should be added as sterile supplements to the medium. Storage conditions and shelf-life of supplemented products will be affected by the nature of the supplements.

Add 20 ml/l of L-Glutamine 200mM before using this medium.

Signs of deterioration :

Medium should be clear and free of particulate and flocculent material. Do not use this medium if it is cloudy or contains precipitate.

Other evidence of deterioration may include colour change or degradation of physical or performance characteristics.