

Technical Data Sheet

12/07/2017

Iscove's Modified Dulbecco's Medium w/ L-Glutamine w/ 25mM Hepes

Product code : LM-I1090

Theoretical pH: 7.2 ± 0.3

Osmolality: 276 ±10% mOsm/kg

Colour: Red, clear solution

Storage conditions: 2 to 8° C

Shelf life: 12 months

Endotoxin: < 1 EU/ml

Composition: Available on request

Sterility Tests - bacteria aerobic-anaerobic

- bacteria strictly anaerobic

- fungi/yeast

Cell growth test:

Medium tested for the ability to support SP2/0-Ag14 cell growth.

Recommended Use:

- Respect storage conditions of the product
- Do not use the product after its expiry date
- Store product in an area protected from light (not necessary for saline solutions).
- Manipulate the product in aseptic conditions (e.g. : under laminar air flow)
- Wear clothes adapted to the manipulation of the product to avoid contamination (e.g. : gloves, mask, hygiene cap, overall...)



The product is intended to be used in vitro, in laboratory only. Do not use it in therapy, human or veterinary applications.

Application:

In 1976, Guilbert and Iscove demonstrated that precursor cells of erythrocytes and macrophages could be cultured in a reduced-serum medium supplemented with albumin, transferrin, lecithin and selenium.

Iscove's medium is a modification of Dulbecco's Modified Eagle's Medium (DME) containing selenium, additional amino acids and vitamins, sodium pyruvate, HEPES buffer and potassium nitrate instead of ferric nitrate.

Further studies demonstrated that Iscove's Medium would support murine B lymphocytes, hemopoietic tissue from bone marrow, B cells stimulated with lipopolysaccharide, T lymphocytes and a variety of hybrid cells.

Uses

Supplements such as antibiotics should be added as sterile supplements to the medium. Storage conditions and shelf life of supplemented product will be affected by the nature of the supplements.

Indication of Deterioration:

Medium should be clear and free of particulate and flocculent material.

Do not use if the medium is cloudy or contains precipitate.

Other evidence of deterioration may include colour change or degradation of physical or performance characteristics.